

<https://posit.co/download/rstudio-desktop/> にアクセス



PRODUCTS ▾

SOLUTIONS ▾

LEARN & SUPPORT ▾

EXPLORE MORE ▾

PRICING



tools built to help you be more productive with R and Python.

1: Install R

RStudio requires R 3.3.0+. Choose a version of R that matches your computer's operating system.

[DOWNLOAD AND INSTALL R](#)

2: Install RStudio

[DOWNLOAD RSTUDIO DESKTOP FOR WINDOWS](#)

Size: 208.08 MB | [SHA-256: 885432DB](#) | Version: 2023.03.0+386 | Released: 2023-03-16




tools built to help you be more productive with R and Python.

1: Install R まずはこっち

RStudio requires R 3.3.0+. Choose a version of R that matches your computer's operating system.

DOWNLOAD AND INSTALL R



2: Install RStudio

DOWNLOAD RSTUDIO DESKTOP FOR WINDOWS

Size: 208.08 MB | [SHA-256: 885432DB](#) | Version: 2023.03.0+386 | Released: 2023-03-16



The Comprehensive R Archive Network

- CRAN
- [Mirrors](#)
- [What's new?](#)
- [Search](#)
- [CRAN Team](#)

- About R
- [R Homepage](#)
- [The R Journal](#)

- Software
- [R Sources](#)
- [R Binaries](#)
- [Packages](#)
- [Task Views](#)
- [Other](#)

- Documentation
- [Manuals](#)
- [FAQs](#)
- Contributed

Download and Install R

Precompiled binary distributions of the base system and contributed packages, **Windows and Mac** users most likely want one of these versions of R:

- [Download R for Linux](#) ([Debian](#), [Fedora/Redhat](#), [Ubuntu](#))
- [Download R for macOS](#)
- [Download R for Windows](#)

自分のOSに合わせて選択
(ここではwindowsで説明)

R is part of many Linux distributions, you should check with your Linux package management system in addition to the link above.

Source Code for all Platforms

Windows and Mac users most likely want to download the precompiled binaries listed in the upper box, not the source code. The sources have to be compiled before you can use them. If you do not know what this means, you probably do not want to do it!

- The latest release (2023-03-15, Shortstop Beagle) [R-4.2.3.tar.gz](#), read [what's new](#) in the latest version.
- Sources of [R alpha and beta releases](#) (daily snapshots, created only in time periods before a planned release).
- Daily snapshots of current patched and development versions are [available here](#). Please read about [new features and bug fixes](#) before filing corresponding feature requests or bug reports.

R for Windows



- CRAN
- [Mirrors](#)
- [What's new?](#)
- [Search](#)
- [CRAN Team](#)


- About R
- [R Homepage](#)
- [The R Journal](#)

- Software
- [R Sources](#)
- [R Binaries](#)
- [Packages](#)
- [Task Views](#)
- [Other](#)

- Documentation
- [Manuals](#)
- [FAQs](#)

Subdirectories:

- [base](#) Binaries for base distribution. This is what you want to [install R for the first time](#).
- [contrib](#) Binaries of contributed CRAN packages (for R >= 3.4.x).
- [old contrib](#) Binaries of contributed CRAN packages for outdated versions of R (for R < 3.4.x).
- [Rtools](#) Tools to build R and R packages. This is what you want to build your own packages on Windows, or to build R itself.



Please do not submit binaries to CRAN. Package developers might want to contact Uwe Ligges directly in case of questions / suggestions related to Windows binaries.

You may also want to read the [R FAQ](#) and [R for Windows FAQ](#).

Note: CRAN does some checks on these binaries for viruses, but cannot give guarantees. Use the normal precautions with downloaded executables.



R-4.2.3 for Windows

[Download R-4.2.3 for Windows](#) (77 megabytes, 64 bit)

ここをクリック

[README on the Windows binary distribution](#)
[New features in this version](#)

This build requires UCRT, which is part of Windows since Windows 10 and Windows Server 2016. On older systems, UCRT has to be installed manually from [here](#).

If you want to double-check that the package you have downloaded matches the package distributed by CRAN, you can compare the [md5sum](#) of the .exe to the [fingerprint](#) on the master server.

Frequently asked questions

- [Does R run under my version of Windows?](#)
- [How do I update packages in my previous version of R?](#)

Please see the [R FAQ](#) for general information about R and the [R Windows FAQ](#) for Windows-specific information.

Other builds

- A [pre-release](#) version for the forthcoming R-4.3.0 is available.
- Patches to this release are incorporated in the [r-patched snapshot build](#).
- A build of the development version (which will eventually become the next major release of R) is available in the [r-devel snapshot build](#).
- [Previous releases](#)

- CRAN
- [Mirrors](#)
- [What's new?](#)
- [Search](#)
- [CRAN Team](#)
- About R
- [R Homepage](#)
- [The R Journal](#)
- Software
- [R Sources](#)
- [R Binaries](#)
- [Packages](#)
- [Task Views](#)
- [Other](#)
- Documentation
- [Manuals](#)
- [FAQs](#)
- Contributed



- CRAN
- [Mirrors](#)
- [What's new?](#)
- [Search](#)
- [CRAN Team](#)
- About R
- [R Homepage](#)
- [The R Journal](#)
- Software
- [R Sources](#)
- [R Binaries](#)
- [Packages](#)
- [Task Views](#)
- [Other](#)
- Documentation

R-4.2.3-win.exe

ダウンロード

新規作成


並べ替え 表示

PC > ダウンロード

名前	更新日時	種類
R-4.2.3-win	2023/04/12 22:20	アプリケーション

ダウンロードされたことを確認
これをクリック

1 個の項目




On older systems, UCRT

ed by CRAN, you can

c information.

) is available in the [r-devel](#)

すべて表示



- CRAN
- [Mirrors](#)
- [What's new?](#)
- [Search](#)
- [CRAN Team](#)
- About R
- [R Homepage](#)
- [The R Journal](#)
- Software
- [R Sources](#)
- [R Binaries](#)
- [Packages](#)
- [Task Views](#)
- [Other](#)
- Documentation

ダウンロード

新規作成

R for Windows 4.2.3 セットアップ

情報

Rをインストールするためには、管理者権限のあるユーザでログインする必要があります

注意: Rを完全にインストールするためには管理者権限が必要ですが、現在のユーザでは権限が十分でないようです。このまま続けると、DCOMサポートをインストールできず、またRを拡張子.RDataのファイルに関連付けることもできません。また、書き込み権限のあるディレクトリにしかインストールすることができません。

次へ(N) キャンセル

1 個の項目

このような表示が出た場合は
次へ→表示されているユーザーのパスワード入力
という操作を行う

R-4.2.3-win.exe



- CRAN
- [Mirrors](#)
- [What's new?](#)
- [Search](#)
- [CRAN Team](#)
- About R
- [R Homepage](#)
- [The R Journal](#)
- Software
- [R Sources](#)
- [R Binaries](#)
- [Packages](#)
- [Task Views](#)
- [Other](#)
- Documentation

R-4.2.3-win.exe

ダウンロード

新規作成

R for Windows 4.2.3 セットアップ

情報
続行する前に以下の重要な情報をお読みください。

セットアップを続行するには「次へ」をクリックしてください。

GNU GENERAL PUBLIC LICENSE
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public

戻る(B) 次へ(N) キャンセル

1 個の項目 | 1 個の項目を選択 76.1 MB

「次へ」をクリック



- CRAN
- [Mirrors](#)
- [What's new?](#)
- [Search](#)
- [CRAN Team](#)
- About R
- [R Homepage](#)
- [The R Journal](#)
- Software
- [R Sources](#)
- [R Binaries](#)
- [Packages](#)
- [Task Views](#)
- [Other](#)
- Documentation

ダウンロード

新規作成

R for Windows 4.2.3 セットアップ

インストール先の指定
R for Windows 4.2.3 のインストール先を指定してください。

R for Windows 4.2.3 をインストールするフォルダを指定して、「次へ」をクリックしてください。
続けるには「次へ」をクリックしてください。別のフォルダーを選択するには「参照」をクリックしてください。

C:\Users\kimshun\AppData\Local\Programs\R\R-4.2.3

参照(R)

戻る(B) 次へ(N) キャンセル

「次へ」をクリック

1 個の項目 | 1 個の項目を選択 76.1 MB

更新

種類

アプリケーション

On older systems, UCRT

ed by CRAN, you can

c information.

) is available in the [r-devel](#)

すべて表示



- CRAN
- [Mirrors](#)
- [What's new?](#)
- [Search](#)
- [CRAN Team](#)
- About R
- [R Homepage](#)
- [The R Journal](#)
- Software
- [R Sources](#)
- [R Binaries](#)
- [Packages](#)
- [Task Views](#)
- [Other](#)
- Documentation

R-4.2.3-win.exe

ダウンロード

新規作成

R for Windows 4.2.3 セットアップ

コンポーネントの選択
インストールコンポーネントを選択してください。

インストールするコンポーネントを選択してください。インストールする必要のないコンポーネントはチェックを外してください。続行するには「次へ」をクリックしてください。

利用者向けインストール

<input checked="" type="checkbox"/> Main Files	87.0 MB
<input checked="" type="checkbox"/> 64-bit Files	65.1 MB
<input checked="" type="checkbox"/> Message translations	9.0 MB

現在の選択は最低 164.0 MB のディスク空き領域を必要とします。

戻る(B) 次へ(N) キャンセル

1 個の項目 | 1 個の項目を選択 76.1 MB

「次へ」をクリック



- CRAN
- [Mirrors](#)
- [What's new?](#)
- [Search](#)
- [CRAN Team](#)
- About R
- [R Homepage](#)
- [The R Journal](#)
- Software
- [R Sources](#)
- [R Binaries](#)
- [Packages](#)
- [Task Views](#)
- [Other](#)
- Documentation

ダウンロード

新規作成 | 並べ替え | 表示

R for Windows 4.2.3 セットアップ

起動時オプション
起動時オプションをカスタマイズしますか？

「はい」または「いいえ」を選択し、「次へ」をクリックして下さい

はい (カスタマイズする)

いいえ (デフォルトのまま)

戻る(B) | 次へ(N) | キャンセル

1 個の項目 | 1 個の項目を選択 | 76.1 MB

「次へ」をクリック

種類

アプリケーション

On older systems, UCRT

ed by CRAN, you can

c information.

) is available in the [r-devel](#)

すべて表示



- CRAN
- [Mirrors](#)
- [What's new?](#)
- [Search](#)
- [CRAN Team](#)
- About R
- [R Homepage](#)
- [The R Journal](#)
- Software
- [R Sources](#)
- [R Binaries](#)
- [Packages](#)
- [Task Views](#)
- [Other](#)
- Documentation

ダウンロード

新規作成

R for Windows 4.2.3 セットアップ

追加タスクの選択
実行する追加タスクを選択してください。

R for Windows 4.2.3 インストール時に実行する追加タスクを選択して、「次へ」をクリックしてください。

アイコンを追加する:

- デスクトップ上にアイコンを作成する(D)
- クイック起動アイコンを作成する(Q)

レジストリ項目:

- バージョン番号をレジストリに保存する

戻る(B) 次へ(N) キャンセル

1 個の項目 | 1 個の項目を選択 | 76.1 MB

「次へ」をクリック

種類

アプリケーション

On older systems, UCRT

ed by CRAN, you can

c information.

) is available in the [r-devel](#)



- CRAN
- [Mirrors](#)
- [What's new?](#)
- [Search](#)
- [CRAN Team](#)
- About R
- [R Homepage](#)
- [The R Journal](#)
- Software
- [R Sources](#)
- [R Binaries](#)
- [Packages](#)
- [Task Views](#)
- [Other](#)
- Documentation

ダウンロード

新規作成 | 並べ替え | 表示

R for Windows 4.2.3 セットアップ

スタートメニューフォルダーの指定
プログラムのショートカットを作成する場所を指定してください。

スタートメニューフォルダーは次のスタートメニューフォルダーにプログラムのショートカットを作成します。

続けるには「次へ」をクリックしてください。違うフォルダーを選択するには「参照」をクリックしてください。

R

参照(R)

スタートメニューフォルダーを作成しない(D)

戻る(B) | 次へ(N) | キャンセル

1 個の項目 | 1 個の項目を選択 | 76.1 MB

「次へ」をクリック

R-4.2.3-win.exe



- CRAN
- [Mirrors](#)
- [What's new?](#)
- [Search](#)
- [CRAN Team](#)
- About R
- [R Homepage](#)
- [The R Journal](#)
- Software
- [R Sources](#)
- [R Binaries](#)
- [Packages](#)
- [Task Views](#)
- [Other](#)
- Documentation

ダウンロード

新規作成

R for Windows 4.2.3 セットアップ

追加タスクの選択
実行する追加タスクを選択してください。

R for Windows 4.2.3 インストール時に実行する追加タスクを選択して、「次へ」をクリックしてください。

アイコンを追加する:

- デスクトップ上にアイコンを作成する(D)
- クイック起動アイコンを作成する(Q)

レジストリ項目:

- バージョン番号をレジストリに保存する

戻る(B) 次へ(N) キャンセル

1 個の項目 | 1 個の項目を選択 76.1 MB

「次へ」をクリック

種類

アプリケーション

On older systems, UCRT

ed by CRAN, you can

c information.

) is available in the [r-devel](#)



- CRAN
- [Mirrors](#)
- [What's new?](#)
- [Search](#)
- [CRAN Team](#)
- About R
- [R Homepage](#)
- [The R Journal](#)
- Software
- [R Sources](#)
- [R Binaries](#)
- [Packages](#)
- [Task Views](#)
- [Other](#)
- Documentation

R-4.2.3-win.exe

ダウンロード

新規作成

R for Windows 4.2.3 セットアップ

インストール状況

ご使用のコンピューターに R for Windows 4.2.3 をインストールしています。しばらくお待ちください。

ファイルを展開しています...

C:\Users\kimshun\AppData\Local\Programs\R\R-4.2.3\bin\x64\RSetReg.exe

キャンセル

インストール中...

1 個の項目 | 1 個の項目を選択 | 76.1 MB



- CRAN
- [Mirrors](#)
- [What's new?](#)
- [Search](#)
- [CRAN Team](#)
- About R
- [R Homepage](#)
- [The R Journal](#)
- Software
- [R Sources](#)
- [R Binaries](#)
- [Packages](#)
- [Task Views](#)
- [Other](#)
- Documentation

R-4.2.3-win.exe

ダウンロード

新規作成

R for Windows 4.2.3 セットアップ

R for Windows 4.2.3 セットアップウィザードの完了

ご使用のコンピューターに R for Windows 4.2.3 がセットアップされました。アプリケーションを実行するにはインストールされたショートカットを選択してください。

セットアップを終了するには「完了」をクリックしてください。

完了(F)

1 個の項目 | 1 個の項目を選択 | 76.1 MB

「完了」をクリック



tools built to help you be more productive with R and Python.

1: Install R

RStudio requires R 3.3.0+. Choose a version of R that matches your computer's operating system.

DOWNLOAD AND INSTALL R

2: Install RStudio

次はこっち



DOWNLOAD RSTUDIO DESKTOP FOR WINDOWS

Size: 208.08 MB | [SHA-256: 885432DB](#) | Version: 2023.03.0+386 | Released: 2023-03-16



tools built to help
Python.

1: Install

RStudio requires
that matches your

DOWNLOAD AND I

ダウンロード

新規作成

並べ替え

表示

ダウンロードの検索

名前	更新日時	種類
今日 (2)		
R-4.2.3-win	2023/04/12 22:20	アプリケーション
RStudio-2023.03.0-386	2023/04/12 22:23	アプリケーション

デスクトップ

ダウンロード

ドキュメント

ピクチャ

スクリーンショット

ビデオ

ミュージック

PC

ネットワーク

2 個の項目

押したらダウンロードされる
これをクリック



tools built to help
Python.

1: Install

RStudio requires
that matches you

DOWNLOAD AND I

ダウンロード

新規作成

並べ替え

表示

PC > ダウンロード

ダウンロードの検索

RStudio セットアップ



RStudio セットアップへようこそ

セットアップは、RStudio のインストールをご案内します。

セットアップを開始する前に、他のすべてのアプリケーションを終了することを推奨します。これによってセットアップがコンピュータを再起動せずに、システム ファイルを更新することができるようになります。

「次へ」をクリックし続行します。

次へ(N) > キャンセル

2 個の項目 | 1 個の項目を選択 198 MB

「次へ」をクリック



tools built to help
Python.

1: Install

RStudio requires
that matches you

DOWNLOAD AND I

ダウンロード

新規作成

PC > ダウンロード

RStudio セットアップ

インストール先の選択

RStudio をインストールするフォルダを選択してください。

RStudio を以下のフォルダにインストールします。別のフォルダにインストールするには、「参照」を押しフォルダを選択してください。「次へ」をクリックし続行します。

インストール先のフォルダ

C:\Program Files\RStudio

参照(R)...

必要容量: 821.5 MB
空き容量: 56.1 GB

Nullsoft Install System v3.08

< 戻る(B) 次へ(N) > キャンセル

2 個の項目 | 1 個の項目を選択 198 MB

「次へ」をクリック



tools built to help
Python.

1: Install

RStudio requires
that matches your

DOWNLOAD AND I

ダウンロード

新規作成

並べ替え

表示

PC > ダウンロード

ダウンロードの検索

RStudio セットアップ

スタートメニューのフォルダの選択
RStudio のショートカットを作成するスタートメニューのフォルダを選択してください。

このプログラムのショートカットを作成したいスタートメニューのフォルダを選択してください。また、新規フォルダの名前を入力することもできます。

RStudio

- Accessibility
- Accessories
- Administrative Tools
- GitHub, Inc
- Maintenance
- Soundplant 50
- Startup
- System Tools
- Windows PowerShell

ショートカットを作成しない

Nullsoft Install System v3.08

< 戻る(B) **インストール(I)** キャンセル

2 個の項目 | 1 個の項目を選択 | 198 MB

「インストール」をクリック

1: Install RStudio

RStudio requires a version of R that matches your operating system.

DOWNLOAD AND INSTALL

ダウンロード

新規作成 | 並べ替え | 表示

PC > ダウンロード

RStudio セットアップ

インストール
RStudio をインストール中です。お待ちください。

展開:rstudio.exe... 2%

詳細を表示(D)

Nullsoft Install System v3.08

< 戻る(B) | 次へ(N) > | キャンセル

2 個の項目 | 1 個の項目を選択 | 198 MB

インストール中...



tools built to help
Python.

1: Install

RStudio requires
that matches you

DOWNLOAD AND I

ダウンロード

新規作成

並べ替え

表示

PC > ダウンロード

ダウンロードの検索

RStudio セットアップ



RStudio セットアップの完了

RStudio は、このコンピュータにインストールされました。
「完了」をクリックしセットアップを開じます。

< 戻る(B) **完了(F)** キャンセル

2 個の項目 | 1 個の項目を選択 | 198 MB

「完了」をクリック



tools built to help
Python.

1: Insta

RStudio requires
that matches you

DOWNLOAD AND I

検索するには、ここに入力します

ピン留め済み すべてのアプリ >

Edge	メール	カレンダー	Microsoft Store	フォト	Amazon.com
S モード版 Dropbox	HP QuickDrop	Booking	設定	Microsoft 365 (Office)	Solitaire & Casual Games
WhatsApp	Spotify	TikTok	Xbox	Clipchamp - 動画エディター	Prime Video

おすすめ その他 >

R RStudio 最近追加	R R 4.2.3 最近追加
--------------------------	--------------------------

kimshun

アプリ一覧からRstudioがインストールされていることを確認し、これをクリックして起動



tools built to help
Python.

1: Install

RStudio requires
that matches you

DOWNLOAD AND I

ダウンロード

新規作成

並べ替え

表示

Choose R Installation

RStudio requires an existing installation of R.
Please select the version of R to use.

Use your machine's default 64-bit version of R
 Use your machine's default 32-bit version of R
 Choose a specific version of R:

[64-bit] C:\Users\kimshun\AppData\Local\Programs\R\R-4.2.3

You can also customize the rendering engine used by RStudio.
 Rendering Engine: Auto-detect (recommended)

Browse... OK Cancel

2 個の項目 | 1 個の項目を選択 | 198 MB

この選択状態にした状態で
「OK」をクリック

```

R 4.2.3 · ~/
R version 4.2.3 (2023-03-15 ucrt) -- "Shortstop Beagle"
Copyright (C) 2023 The R Foundation for Statistical Computing
Platform: x86_64-w64-mingw32/x64 (64-bit)

R is free software and comes with ABSOLUTELY NO WARRANTY.
You are welcome to redistribute it under certain conditions.
Type 'license()' or 'licence()' for distribution details.

R is a collaborative project with many contributors.
Type 'contributors()' for more information and
'citation()' on how to cite R or R packages in publications.

Type 'demo()' for some demos, 'help()' for on-line help, or
'help.start()' for an HTML browser interface to help.
Type 'q()' to quit R.

> |

```

Environment History Connections Tutorial

Import Dataset 85 MiB

R Global Environment

Environment is empty

Enable Automated Crash Reporting

May we upload crash reports to RStudio automatically?

Crash reports don't include any personal information, except for IP addresses which are used to determine how many users are affected by each crash.

Crash reporting can be disabled at any time under the Global Options.

はい(Y) いいえ(N)

Presentation

Delete Rename More

	Size	Modified
	402 B	Apr 12, 2023, 10:12 PM

My Pictures

My Videos

「はい」をクリック

RStudio interface showing the console output and the environment pane.

Console:

```
R 4.2.3 · ~/
```

```
R version 4.2.3 (2023-03-15 ucrt) -- "Shortstop Beagle"  
Copyright (C) 2023 The R Foundation for Statistical Computing  
Platform: x86_64-w64-mingw32/x64 (64-bit)
```

```
R is free software and comes with ABSOLUTELY NO WARRANTY.  
You are welcome to redistribute it under certain conditions.  
Type 'license()' or 'licence()' for distribution details.
```

```
R is a collaborative project with many contributors.  
Type 'contributors()' for more information and  
'citation()' on how to cite R or R packages in publications.
```

```
Type 'demo()' for some demos, 'help()' for on-line help, or  
'help.start()' for an HTML browser interface to help.  
Type 'q()' to quit R.
```

```
>
```

Environment:

Environment is empty

Files:

	Name	Size	Modified
<input type="checkbox"/>	.Rhistory	19 B	Apr 12, 2023, 10:27 PM
<input type="checkbox"/>	desktop.ini	402 B	Apr 12, 2023, 10:12 PM
<input type="checkbox"/>	My Music		
<input type="checkbox"/>	My Pictures		
<input type="checkbox"/>	My Videos		

この画面になることを確認

RStudio interface showing the console output and the Environment pane.

Console:

```
R version 4.2.3 (2023-03-15 ucrt) -- "Shortstop Beagle"
Copyright (C) 2023 The R Foundation for Statistical Computing
Platform: x86_64-w64-mingw32/x64 (64-bit)

R is free software and comes with ABSOLUTELY NO WARRANTY.
You are welcome to redistribute it under certain conditions.
Type 'license()' or 'licence()' for distribution details.

R is a collaborative project with many contributors.
Type 'contributors()' for more information and
'citation()' on how to cite R or R packages in publications.

Type 'demo()' for some demos, 'help()' for on-line help, or
'help.start()' for an HTML browser interface to help.
Type 'q()' to quit R.

> print("Hello")
```

Environment: Environment is empty

Files:

Name	Size	Modified
.Rhistory	19 B	Apr 12, 2023, 10:27 PM
desktop.ini	402 B	Apr 12, 2023, 10:12 PM
My Music		
My Pictures		
My Videos		

このように、`print("Hello")`と打ってEnterを試みよう

RStudio interface showing the R console and environment pane.

Console:

```
R version 4.2.3 (2023-03-15 ucrt) -- "Shortstop Beagle"
Copyright (C) 2023 The R Foundation for Statistical Computing
Platform: x86_64-w64-mingw32/x64 (64-bit)

R is free software and comes with ABSOLUTELY NO WARRANTY.
You are welcome to redistribute it under certain conditions.
Type 'license()' or 'licence()' for distribution details.

R is a collaborative project with many contributors.
Type 'contributors()' for more information and
'citation()' on how to cite R or R packages in publications.

Type 'demo()' for some demos, 'help()' for on-line help, or
'help.start()' for an HTML browser interface to help.
Type 'q()' to quit R.

> print("Hello")
[1] "Hello"
> |
```

Environment: Environment is empty

Files:

Name	Size	Modified
.Rhistory	19 B	Apr 12, 2023, 10:27 PM
desktop.ini	402 B	Apr 12, 2023, 10:12 PM
My Music		
My Pictures		
My Videos		

このようにできれば環境構築完了！！
お疲れ様です！